

Area 3 North Central  
Dallas HMAZ  
Tab 7 – Intervention Selection Form

Subpopulation: MMS Adolescents

Ranking: 6

Name of Intervention	The Mpowerment Project C-16, FS-15
Risk Behavior(s)	Unprotected Anal Sex
Influencing Factor(s) or FIBs	<ul style="list-style-type: none"> <li>• Group Norms</li> <li>• Lack of social support</li> <li>• Poor self efficacy</li> <li>• Expected outcomes (do not consider HIV a serious disease)</li> </ul>
Intended Immediate Outcomes	<ul style="list-style-type: none"> <li>• Increase Intent to use Condoms</li> <li>• Increase Risk Perception</li> </ul>
Type	CLI
Setting	Varies
Is this intervention currently being provided in your planning area?	Yes
Rationale for Selecting this Intervention:	Peer based intervention aiming at increasing knowledge and changing group norms.

Area 3 North Central  
Dallas HMAZ  
Tab 7 – Intervention Selection Form

Subpopulation: MMS Adolescents Ranking: 6

Name of Intervention	Adolescent Living Safely: AIDS awareness, attitudes and Actions for Gay, Lesbian and bisexual youth  Sutherland Miller, et al. <a href="http://www.chipts.ucla.edu">www.chipts.ucla.edu</a>
Risk Behavior(s)	Unprotected sex Multiple partners
Influencing Factor(s) or FIBs	<ul style="list-style-type: none"> <li>• Negative attitudes toward condom use</li> <li>• Poor negotiation and communication skills</li> <li>• Poor self-efficacy</li> <li>• Guilt and shame about sexual orientation.</li> <li>• Self-esteem</li> </ul>
Intended Immediate Outcomes	Increase negotiation and communication skills Increase awareness of substance use in sexual situations Increase self efficacy Increase knowledge of HIV/STDs
Type	Unknown
Setting	unknown
Is this intervention currently being provided in your planning area?	No
Rationale for Selecting this Intervention:	Community based program aiming at increasing awareness and social support among GLB youth.

Area 3 North Central  
Dallas HMAZ  
Tab 7 – Intervention Selection Form

Subpopulation: MMS Adolescents

Ranking: 6

Name of Intervention	Project RESPECT C-11, FS-35
Risk Behavior(s)	Unprotected Sex
Influencing Factor(s) or FIBs	<ul style="list-style-type: none"> <li>• Perceived susceptibility</li> <li>• Poor attitudes toward condom use</li> <li>• Expected outcomes</li> </ul>
Intended Immediate Outcomes	<ul style="list-style-type: none"> <li>• Increase Risk Perception</li> <li>• Increase Intent to use Condoms</li> </ul>
Type	ILI
Setting	STD Clinics
Is this intervention currently being provided in your planning area?	No
Rationale for Selecting this Intervention:	Promotes HIV testing and provides two different approaches to the same intervention, so it can be tailored to meet individual needs.

Area 3 North Central  
Dallas HMAZ  
Tab 7 – Intervention Selection Form

Subpopulation: MMS Adolescents

Ranking: 6

Name of Intervention	Cognitive and Behavioral Adaptations to HIV/AIDS among Gay and Bisexual Adolescents FS-54
Risk Behavior(s)	<ul style="list-style-type: none"> <li>• Unprotected Sex</li> <li>• Substance Abuse</li> </ul>
Influencing Factor(s) or FIBs	<ul style="list-style-type: none"> <li>• Low perceived susceptibility</li> <li>• Low self-efficacy</li> <li>• Group Norms</li> <li>• Poor communication/ negotiation skills</li> <li>• Substance use</li> </ul>
Intended Immediate Outcomes	<ul style="list-style-type: none"> <li>• Increase use of Condoms</li> <li>• Decrease of Substance use during Sexual Situations</li> </ul>
Type	ILI/GLI
Setting	Varies
Is this intervention currently being provided in your planning area?	No
Rationale for Selecting this Intervention:	Provides social support. Allows for individual risk assessment. Addresses substance use as a factor influencing risky sexual behaviors

Area 3 North Central  
Dallas HMAZ  
Tab 7 – Intervention Selection Form

Subpopulation: MMS Adolescents Ranking: 6

Name of Intervention	Efficacy of a Preventive Intervention for Youths Living with HIV (Teens Linked to Care: Stay Healthy” and “Act Safe”) FS-56
Risk Behavior(s)	<ul style="list-style-type: none"> <li>• Unprotected Sex</li> <li>• Multiple Partners</li> <li>• Substance Use</li> </ul>
Influencing Factor(s) or FIBs	<ul style="list-style-type: none"> <li>• Low self-efficacy</li> <li>• Substance use during/ before sex</li> <li>• Poor negotiation/ communication skills</li> </ul>
Intended Immediate Outcomes	Increase in Negotiation and Coping Skills Increase on Condom Use
Type	GLI
Setting	Adolescent Clinical Care Sites
Is this intervention currently being provided in your planning area?	No
Rationale for Selecting this Intervention:	Provides coping skills and aims at improving self-esteem. Addresses multiple partners and substance use.

Area 3 North Central  
Dallas HMAZ  
Tab 7 – Intervention Selection Form

Subpopulation: MMS Adolescents Ranking: 6

Name of Intervention	Factors Mediating Changes in Sexual HIV Risk Behaviors among Gay and Bisexual Male Adolescents FS-61
Risk Behavior(s)	<ul style="list-style-type: none"> <li>• Unprotected Sex</li> <li>• Multiple Partners</li> </ul>
Influencing Factor(s) or FIBs	<ul style="list-style-type: none"> <li>• Poor communication/ negotiation skills</li> <li>• Group norms</li> <li>• Lack of knowledge</li> <li>• Low self-efficacy</li> <li>• Peer pressure</li> </ul>
Intended Immediate Outcomes	<ul style="list-style-type: none"> <li>• Increase Communication and Negotiation Skills</li> <li>• Increase Condom use</li> </ul>
Type	ILI/GLI
Setting	CBOs for Gay Youth
Is this intervention currently being provided in your planning area?	No
Rationale for Selecting this Intervention:	Aims at changing group norms. It is a peer based intervention.

Area 3 North Central  
Dallas HMAZ  
Tab 7 – Intervention Selection Form

Subpopulation: MMS Adolescents

Ranking: 6

Name of Intervention	Internet based interventions
Risk Behavior(s)	Lack of knowledge of HIV and STD information
Influencing Factor(s) or FIBs	<ul style="list-style-type: none"> <li>• Lack of knowledge about HIV /STD</li> <li>• Perceived limited access to prevention services</li> </ul>
Intended Immediate Outcomes	Increase knowledge Increase access to testing
Type	ILI
Setting	Private home or other places to access the internet
Is this intervention currently being provided in your planning area?	yes
Rationale for Selecting this Intervention:	Many young MSM reporting using the Internet to access information about services and to seek sexual partners.

Area 3 North Central  
Dallas HMAZ  
Tab 7 – Intervention Selection Form

Subpopulation: MMS Adolescents

Ranking: 6

Name of Intervention	Outreach HIV/STD Testing
Risk Behavior(s)	<ul style="list-style-type: none"> <li>• Unprotected Sex</li> <li>• Multiple Partners</li> </ul>
Influencing Factor(s) or FIBs	<ul style="list-style-type: none"> <li>• Low perceived susceptibility</li> <li>• Perceived limited access to prevention services</li> </ul>
Intended Immediate Outcomes	Increase access to testing Increase knowledge of serostatus and/or STD infection status Develop a risk reduction plan Increase access to needed diagnosis and treatment
Type	Other
Setting	Non-Traditional Test Sites
Is this intervention currently being provided in your planning area?	Yes
Rationale for Selecting this Intervention:	High HIV/ STD morbidity among this population.